Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 16, July 21, 2011

For the Period July 12 to 18, 2011

Saskatchewan livestock producers made good haying progress over the last week and now have 59 per cent of the hay crop cut. 34 per cent of the hay crop has been baled or put into silage according to Saskatchewan Agriculture's weekly Crop Report.

One year ago
Forty-three per cent of the 2010 hay crop was cut, and 21 per cent was baled or put into silage.

Haying progress varies across the province. 73 per cent has been cut in the northeast and east-central, 25 per cent in the northwest, 68 per cent in west-central and the southwest, and 54 per cent in the southeast.

45 per cent of the hay crop has been baled or put into silage in east-central, 7 per cent in the northwest, 37 per cent in the northeast, 41 per cent in west-central, 43 per cent in the southwest and 32 per cent in the southeast.

87 per cent of the hay crop is rated as good to excellent in quality with none reported to be in poor condition.

The average hay yields on dry land are reported as 1.8 tons per acre (alfalfa), 1.9 tons per acre (alfalfa/brome), 1.5 tons per acre (other tame), 1.2 tons per acre (wild) and 2.0 tons per acre (greenfeed). On irrigated land, the average hay yields are 2.6 tons per acre (alfalfa), 2.7 tons per acre (alfalfa/brome), 3.3 tons per acre (other tame), 1.1 tons per acre (wild) and 3.7 tons per acre (greenfeed).

85 per cent of fall cereals and 74 per cent of spring cereals are reported to be in good to excellent condition. 72 per cent of the oilseeds and 80 per cent of the pulse crops are reported to be in good to excellent condition. The majority of crop damage is due to flooding, insects, diseases, wind and hail.

Across the province, topsoil moisture on cropland is rated as 9 per cent surplus, 84 per cent adequate and 7 per cent short. Hay land and pasture topsoil moisture is rated as 5 per cent surplus, 88 per cent adequate and 7 per cent short.

Farmers are busy haying, scouting crops and controlling diseases and insects. Warm temperatures are helping speed up crop development.

-30-

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The recent warm and sunny weather has helped improve conditions of some excess water stressed crops. However, continued heat and humidity are becoming a concern with regards to haying and crop development. Some crops such as canola may suffer heat blast during flowering.

During the past week, the region received rainfall ranging from nil to 32 mm with most of the rainfall received in RMs 38 and 39. Crop districts 1A and 1B received very little rain. Since April 1, accumulated rainfall for the Southeast ranges from 149 mm (Marquis area) to 410 mm, (Moosomin area).

Fifty-four per cent of the hay crop has been cut in the region, and 32 per cent of the hay crop is baled or put into silage. High humidity is slowing the drying process. Eighty-six per cent of the hay is rated as good to excellent in quality.

Southeastern Region

Crop Conditions - July 18, 2011

	% Excellent	% Good	% Fair	% Poor	% Very poor
Winter wheat	8.7	63.2	15.2	12.1	0.8
Fall rye	12.2	72.5	8.8	6.0	0.5
Spring wheat	10.0	45.8	25.6	18.2	0.4
Durum	10.1	40.8	26.5	22.6	0.0
Oat	5.7	44.9	36.1	12.7	0.6
Barley	6.3	54.3	17.5	21.5	0.4
Flax	6.5	45.5	17.2	28.8	2.0
Canola	7.6	46.2	26.4	18.2	1.6
Mustard	0.0	43.1	37.3	19.6	0.0
Pea	8.3	40.3	22.6	25.4	3.4
Lentil	2.0	37.9	24.7	30.4	5.0
Canaryseed	13.2	26.8	23.2	36.8	0.0
Chickpea	0.0	17.2	11.4	71.4	0.0

Hay Yields (tons/acre) - July 18, 2011

	Dry land	Irrigated
Alfalfa	2.2	N/A
Alfalfa/Brome	2.3	N/A
Other Tame	1.9	N/A
Wild	1.5	N/A
Greenfeed	1.7	N/A

Seventy-eight per cent of the fall cereals and 52 per cent of the spring cereals are reported to be in good to excellent condition. Fifty per cent of oilseed crops and 35 per cent of pulses are reported to be in good to excellent condition.

Topsoil moisture conditions on crop land is rated as 16 per cent surplus, 78 per cent adequate and six per cent short. Hay and pasture land is rated as nine per cent surplus, 80 per cent adequate and 11 per cent short.

The majority of crop damage reported is attributed to insects and diseases. Some flooding, wind and drought damage have been reported. Farmers are busy scouting, spraying, haying and hauling grain.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

During the past week, the region received rainfall ranging from trace to 81 mm (Mankota area). Since April 1, accumulated rainfall for the Southwest ranges from 118 mm (Fox Valley area) to 440 mm (Bengough). Some reporters indicated that there are areas that need rain especially if temperatures remain high. However, heavy rains in the Mankota area caused flooding and delayed baling. Swath spoilage has been reported in some areas.

Sixty-eight per cent of the 2011 hay crop has been cut and 43 per cent of the hay crop is baled or put into silage. Ninety per cent of the hay is rated as good to excellent in quality.

Cropland topsoil moisture is rated as two per cent surplus, 78 per cent adequate, 19 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 87 per cent adequate, 11 per cent short and one per cent very short.

Southwestern Region

Crop Conditions - July 18, 2011

	% Excellent	% Good	% Fair	% Poor	% Very Poor
Winter wheat	20.7	68.8	10.5	0.0	0.0
Fall rye	16.9	72.2	10.4	0.5	0.0
Spring wheat	13.7	63.4	21.0	1.9	0.0
Durum	16.2	60.8	20.7	2.3	0.0
Oat	9.3	77.0	13.6	0.1	0.0
Barley	17.9	65.9	15.7	0.5	0.0
Flax	14.7	61.7	19.9	3.7	0.0
Canola	17.0	66.4	14.5	2.1	0.0
Mustard	25.1	56.4	16.4	2.1	0.0
Pea	19.1	67.3	12.5	1.1	0.0
Lentil	15.9	67.0	15.3	1.8	0.0
Canaryseed	19.6	40.1	26.8	9.1	4.4
Chickpea	4.3	78.0	17.7	0.0	0.0

Hay Yields (tons/acre) - July 18, 2011

	Dry land	Irrigated
Alfalfa	1.9	2.7
Alfalfa/Brome	2.0	2.7
Other Tame	1.6	2.0
Wild	1.3	0.0
Greenfeed	2.6	6.0

Eighty-nine per cent of the fall cereals and 77 per cent of the spring cereals are reported to be in good to excellent condition. Eighty-one per cent of oilseed crops and 84 per cent of pulses are reported to be in good to excellent condition.

The majority of crop damage reported is attributed to diseases. Some flooding, hail, wind, insect and drought damage have also been reported. Heavy infestation of aphids in field peas and lentils has been reported.

Most of the farmers have finished spraying crops and chemfallow and are busy hauling grain, haying and getting equipment ready for harvest.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Hot weather has helped advance crops and dry out wet areas. However, damage to canola blossoms has been reported due to heat blast. Notwithstanding, crops are still a couple of weeks behind. Some areas are in need of rain.

Seventy-three per cent of the 2011 hay crop has been cut with 45 per cent of the hay crop baled or put into silage. Hay quality is rated as 94 per cent good to excellent.

During the past week, the region received rainfall ranging from trace to 75 mm (Kenaston area). Since April 1, accumulated rainfall for the east central ranges from 119 mm (Raymore area) to 306 mm (Stockholm area).

Cropland topsoil moisture is rated as six per cent surplus, 90 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 87 per cent adequate and seven per cent short.

East-central Region

Crop Conditions - July 18, 2011

	% Excellent	% Good	% Fair	% Poor	% Very Poor
Winter wheat	42.9	41.2	14.4	1.5	0.0
Fall rye	31.6	44.4	24.0	0.0	0.0
Spring wheat	18.4	62.7	15.2	3.2	0.5
Durum	24.7	65.1	10.2	0.0	0.0
Oat	15.7	59.9	21.4	3.0	0.0
Barley	14.7	62.1	17.7	4.5	1.0
Flax	18.4	59.9	18.8	2.9	0.0
Canola	18.1	59.2	16.0	5.4	1.3
Mustard	20.5	70.6	8.9	0.0	0.0
Pea	30.0	51.8	15.8	2.2	0.2
Lentil	32.8	59.6	4.5	3.1	0.0
Canaryseed	9.9	70.4	15.4	3.4	0.9
Chickpea	37.5	52.5	10.0	0.0	0.0

Hay Yields (tons/acre) - July 18, 2011

	Dry land	Irrigated
Alfalfa	1.8	N/A
Alfalfa/Brome	1.7	N/A
Other Tame	1.6	N/A
Wild	1.2	N/A
Greenfeed	2.0	N/A

Eighty per cent of the fall cereals and 81 per cent of the spring cereals are reported to be in good to excellent condition. Eighty-two per cent of oilseed crops and 88 per cent of pulses are reported to be in good to excellent condition.

The majority of crop damage reported is attributed to flooding, insects and diseases. Some hail and wind damage have also been reported.

Farmers are busy scouting fields, spraying for diseases, aphids and wheat midge, and haying.

.

West Central Saskatchewan (Crop Districts 6B and 7)

Week started off wet but very hot by mid week. Heavy rains were reported in some areas that helped where it was getting dry but delayed haying operations in some areas. The region has 68 per cent of the 2011 hay crop cut with 41 per cent of the hay crop baled or put into silage. Hay quality is rated as 87 per cent good to excellent.

During the past week, the region received rainfall ranging from trace to 126 mm (Harris area). Since April 1, accumulated rainfall for the west-central ranges from 106 mm (Nether Hill area) to 256 mm (Rosetown area).

Topsoil moisture conditions are rated as nine per cent surplus, 90 per cent adequate and one per cent short. Hay land and pasture topsoil moisture conditions are rated as three per cent surplus, 95 per cent adequate and two per cent short.

West-cental Region

Crop Conditions - July 18, 2011

	% Excellent	% Good	% Fair	% Poor	% Very Poor
Winter wheat	0.0	93.7	6.3	0.0	0.0
Fall rye	19.1	68.0	12.9	0.0	0.0
Spring wheat	21.3	69.4	8.8	0.5	0.0
Durum	12.1	75.0	11.5	1.4	0.0
Oat	21.8	66.6	11.3	0.3	0.0
Barley	20.7	69.8	9.1	0.4	0.0
Flax	15.0	74.6	9.9	0.5	0.0
Canola	25.2	60.4	13.1	1.3	0.0
Mustard	15.9	75.6	8.1	0.4	0.0
Pea	27.5	61.7	10.5	0.3	0.0
Lentil	17.9	72.6	9.2	0.3	0.0
Canaryseed	3.3	68.3	27.7	0.7	0.0
Chickpea	1.4	93.7	4.2	0.7	0.0

Hay Yields (tons/acre) - July 18, 2011

	Dry land	Irrigated
Alfalfa	1.8	2.4
Alfalfa/Brome	1.7	2.7
Other Tame	1.3	4.0
Wild	0.9	1.1
Greenfeed	1.8	3.4

Ninety per cent of the fall cereals and 86 per cent of the spring cereals are reported to be in good to excellent condition. Eighty-nine per cent of oilseed crops and 92 per cent of pulses are reported to be in good to excellent condition.

The majority of crop damage reported is attributed to flooding, insects and diseases. Some hail and wind damage have also been reported.

Farmers are busy haying and spraying for wheat midge. Farmers are afraid the heat wave may cause some significant damage to flowering canola and peas.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Heavy rain and hail reported in the region with some areas reporting significant hail damage. Rain was welcome as some areas were beginning to get too dry. During the past week, the region received rainfall ranging from trace to 78 mm (Vonda area). Since April 1, accumulated rainfall for the Northeast ranges from 62 mm (Lake Lenore area) to 243 mm (Garrick area).

Seventy-three per cent of the hay crop has been cut with 37 per cent of the hay crop baled or put into silage. Hay quality is rated as 92 per cent good to excellent. However, rain and humidity are making haying difficult.

Topsoil moisture on cropland is rated as three per cent surplus and 97 per cent adequate. Topsoil moisture on hay and pasture land is reported as one per cent surplus, 98 per cent adequate and one per cent short.

Northeastern Region Crop Conditions - July 18, 2011					
	% Excellent	% Good	% Fair	% Poor	% Very Poor
Winter wheat	22.4	53.5	21.3	2.8	0.0
Fall rye	16.7	81.6	1.7	0.0	0.0
Spring wheat	10.4	67.1	21.6	0.9	0.0
Durum	40.0	46.7	13.3	0.0	0.0
Oat	8.1	66.4	22.2	3.3	0.0
Barley	13.3	64.1	22.2	0.4	0.0
Flax	13.8	56.3	27.3	2.6	0.0
Canola	10.1	61.6	24.8	3.5	0.0
Mustard	5.0	70.0	15.0	10.0	0.0
Pea	6.7	57.7	32.6	3.0	0.0
Lentil	5.0	72.5	20.0	2.5	0.0
Canaryseed	4.0	71.7	19.1	5.2	0.0
Chickpea	0.0	0.0	0.0	0.0	0.0

Hay Yields (tons/acre) - July 18, 2011		
	Dry land	Irrigated
Alfalfa	1.6	N/A
Alfalfa/Brome	1.5	N/A
Other Tame	1.1	N/A
Wild	1.0	N/A
Greenfeed	1.8	N/A

Eighty-seven per cent of the fall cereals and 78 per cent of the spring cereals are reported to be in good to excellent condition. Seventy-two per cent of oilseed crops and 71 per cent of pulses are reported to be in good to excellent condition.

Producers are scouting and spraying for wheat midge and sclerotinia in canola.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Livestock producers in the region have 25 per cent of the hay crop cut with seven per cent of the hay crop baled or put into silage. Hay quality is rated as 67 per cent good to excellent. However, rain and humidity are causing delays in haying operations and threatening hay quality. The heat and humidity combination is also creating conditions conducive to leaf disease development. Hence, fungicide application has been reported in many areas.

During the past week, the region received rainfall ranging from trace to 86 mm (Glaslyn area). Since April 1, accumulated rainfall for the Northwest ranges from 106 mm (North Battleford area) to 405 mm (Dorintosh area).

Cropland top soil moisture is reported as 20 per cent surplus and 80 per cent adequate. Hay and pasture topsoil moisture is rated as seven per cent surplus, 92 per cent adequate and one per cent short.

Northwestern Region

Crop Conditions - July 18, 2011

	% Excellent	% Good	% Fair	% Poor	% Very Poor
Winter wheat	0.0	98.2	1.8	0.0	0.0
Fall rye	0.0	86.7	13.3	0.0	0.0
Spring wheat	14.3	72.1	12.4	0.4	0.8
Durum	0.0	100.0	0.0	0.0	0.0
Oat	11.2	75.7	13.1	0.0	0.0
Barley	14.0	68.3	17.0	0.2	0.5
Flax	0.0	76.3	23.7	0.0	0.0
Canola	16.8	56.4	20.0	6.1	0.7
Mustard	0.0	100.0	0.0	0.0	0.0
Pea	19.8	69.7	9.6	0.6	0.3
Lentil	4.2	95.8	0.0	0.0	0.0
Canaryseed	0.0	100.0	0.0	0.0	0.0
Chickpea	0.0	0.0	0.0	0.0	0.0

Hay Yields (tons/acre) - July 18, 2011

	Dry land	Irrigated
Alfalfa	1.4	N/A
Alfalfa/Brome	1.3	N/A
Other Tame	0.9	N/A
Wild	0.9	N/A
Greenfeed	1.9	N/A

Ninety-two per cent of the fall cereals and 91 per cent of the spring cereals are reported to be in good to excellent condition. Eighty-three per cent of oilseed crops and 95 per cent of pulses are reported to be in good to excellent condition.

Farmers are busy scouting fields, controlling disease and haying. Crop damage mainly attributed to flooding, wind, hail and insects.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending July 18, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 20, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period July 12 to 18, 2011

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	155
	2	Mount Pleasant	N/A	267
	3	Enniskillen	6	293
	33	Moose Creek	1	270
	34	Browning	2	343
	61	Antler	N/A	271
	63	Moose Mountain	N/A	274
	64	Brock	NIL	262
	65	Tecumseh	N/A	368
1B	91	Maryfield	2	313
	92	Walpole	N/A	266
	95	Golden West	NIL	387
	122	Martin	NIL	410
	123	Silverwood	N/A	307
	124 A	Kingsley	N/A	272
	124 B	Kingsley	N/A	N/A
	125	Chester	N/A	287
	151 A	Rocanville	2	403
	151 B	Rocanville	N/A	332
	153	Willowdale	NIL	334
	154	Elcapo	NIL	254
	155	Wolseley	6	269
2A	66	Griffin	N/A	318
	67	Weyburn	8	397
	68	Brokenshell	5	403
	69	Norton	N/A	307
	97	Wellington	9	383
2B	127 A	Francis	8.5	293
	127 B	Francis	0.1	227
	129	Bratt's Lake	1	242
	156	Indian Head	3	296
	160 A	Pense	NIL	147
	160 B	Pense	NIL	183
	161	Moose Jaw	1	151
	191	Marquis	3	149
3ASE	7	Souris Valley	N/A	N/A
	38 A	Laurier	29	369
	38 B	Laurier	25	391
	39 A	The Gap	32	309
	39 B	The Gap	14	357
3ASW	10	Happy Valley	33	457
	11	Hart Butte	N/A	83
	12	Poplar Valley	13	310
	40	Bengough	10	440
	42	Willow Bunch	5	343
	43	Old Post	6	316
	44 A	Waverley	9	255
	44 B	Waverley	N/A	227
	70	Key West	N/A	302
	71	Excel	N/A	352
	73 A	Stonehenge	N/A	313
	73 B	Stonehenge	11	364
	74	Wood River	15	330
3AN	17	Val Marie	25	400
	18	Lone Tree	N/A	224
	45	Mankota	61	398
	75 A	Pinto Creek	N/A	261
	75 B	Pinto Creek	67	303
	76 A	Auvergne	13	234
	76 B	Auvergne	14	211
	77	Wise Creek	N/A	225
	78 A	Grassy Creek	32	276
	78 B	Grassy Creek	24	299
	78 C	Grassy Creek	24	236
	101	Terrell	N/A	238
	102	Lake Johnston	4.3	248
	103	Sutton	17	287
	105	Glenbain	41	294
	106	Whiska Creek	10	243
	107	Lac Pelletier	N/A	128
	108	Bone Creek	N/A	247
	134	Shamrock	20	236
	164	Chaplin	27.5	257
	193 A	Eyebrow	18	184
	193 B	Eyebrow	2	164
	194	Enfield	24	188
3BN	138	Webb	1	179
	166	Excelsior	14	198
	167	Sask. Landing	11.99	235
	188	Riverside	14	171
	226	Victory	N/A	156
	228	Lacadena	7	126
	255	Coteau	N/A	N/A
	257	Monet	2	120

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	109	Carmichael	14	248
	110	Piapot	15	119
	111	Maple Creek	33	137
	49 A	White Valley	N/A	182
	49 B	White Valley	19	183
	51	Reno	41.38	256
	79	Arlington	21	218
4B	139	Gull Lake	NIL	159
	141	Big Stick	19	136
	142	Enterprise	17	154
	169	Pittville	N/A	134
	171	Fox Valley	5	118
	229	Mey Creek	N/A	N/A
	231	Happyland	19	136
5A	183	Fertile Belt	8	307
	186	Abernethy	1	183
	211	Churchbridge	9	240
	213	Saltcoats	12	234
	216	Tullymet	N/A	185
	217	Lipton	3	140
	241	Calder	4	170
	243	Wallace	NIL	209
	245 A	Garry	N/A	143
	245 B	Garry	NIL	289
	245 C	Garry	1	268
	246	Ituna Bon Accord	N/A	161
	247	Kelross	6	169
	248	Touchwood	4	119
5B	271	Cote	10	149
	276	Foam Lake	N/A	42
	277	Emerald	18	203
	305	Invermay	9.15	213
	307	Elfros	30	262
	308	Big Quill	32	151
	333 A	Clayton	N/A	NIL
	333 B	Clayton	N/A	177
	334	Preeceville	N/A	148
	335	Hazel Dell	N/A	174
	336	Sasman	17	202
	337	Lakeview	35	234
	338	Lakeside	48	180
	366	Kelvington	30	254
6A	189	Lumsden	N/A	219
	190 A	Dufferin	8	159
	190 B	Dufferin	5	175
	190 C	Dufferin	2	152
	190 D	Dufferin	N/A	132
	219	Longlaketon	7	137
	220	Mckillop	29	169
	221	Sarnia	30.6	210
	222	Craik	41	197
	251	Big Arm	22	191
	252	Arm River	39	169
	279	Mount Hope	N/A	176
	280	Wreford	23	189
	282	Mccraney	75	211
	309	Prairie Rose	48	171
	313	Lost River	33	123
	339	Leroy	53.79	153
	340	Wolverine	40	136
	341	Viscount	N/A	88
	343	Blucher	53	159
6B	283	Rosedale	51	119
	284	Rudy	110	205
	285	Fertile Valley	48	205
	286	Milden	N/A	142
	314	Dundurn	54	160
	344	Corman Park	46	198
	348	Perdue	72	218
	378 A	Eagle Creek	45	179
	378 B	Eagle Creek	22	165
	493	Rosthern	47.5	188
7A	260 A	Newcombe	N/A	102
	260 B	Newcombe	29.09	125
	261	Chesterfield	N/A	58
	287	St. Andrews	45	113
	288	Pleasant Valley	32	121
	290 A	Kindersley	44.69	106
	290 B	Kindersley	N/A	66
	292	Milton	N/A	104
	317 A	Marriott	99	256
	317 B	Marriott	126	234
	318 A	Mountain View	N/A	N/A
	318 B	Mountain View	117	228
	320 A	Oakdale	75	185
	320 B	Oakdale	50	123
	321	Prairiedale	40	170

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	22	182
	347 B	Biggar	65	209
	350 A	Mariposa	28	181
	350 B	Mariposa	42	187
	351	Progress	20	122
	352	Heart's Hill	33	197
	377	Glenside	NIL	187
	378 A	Rosemount	36	190
	378 B	Rosemount	19	202
	379	Reford	45	177
	380	Tramping Lake	12	116
	381	Grass Lake	28	134
	409 A	Buffalo	13	193
	409 B	Buffalo	N/A	119
	410	Round Valley	53.5	156
	411	Senlac	N/A	135
8A	395	Porcupine	24	228
	397	Barrier Valley	N/A	171
	428	Star City	N/A	121
	456	Arborfield	7	145
	457	Connaught	N/A	201
	458	Willow Creek	4	201
	486	Moose Range	NIL	135
	487	Nipawin	1	129
8B	369	St. Peter	NIL	62
	370	Humboldt	27	122
	371 A	Bayne	35	130
	371 B	Bayne	N/A	N/A
	372	Grant	78.19	230
	402	Fish Creek	61	236
	429	Flett's Springs	10	162
	430	Invergordon	N/A	N/A
	431	St. Louis	N/A	N/A
	459	Kinistino	10	182
	460	Birch Hills	36	237
9AE	461	Prince Albert	N/A	160
	488 A	Torch River	12	243
	488 B	Torch River	N/A	NIL
	491	Buckland	N/A	182
9AW	406	Mayfield	NIL	113
	435	Redberry	26	182
	436	Douglas	47	149
	483	Duck Lake	36	179
	484	Leask	55	190
	487 A	Round Hill	16	106
	487 B	Round Hill	N/A	142
	494	Canwood	41	195
	496	Spiritwood	N/A	53
	497	Medstead	30	186
9B	438	Battle River	22	181
	440	Hillsdale	31	131
	442	Manitou Lake	24.38	165
	468 A	Meota	N/A	32
	468 B	Meota	80.5	223
	468 C	Meota	52.99	179
	498 A	Parkdale	86	291
	498 B	Parkdale	36	178
	499	Mervin	50	229
	501 A	Frenchman Butte	12	175
	501 B	Frenchman Butte	27	131
	501 C	Frenchman Butte	18	201
	561	Loon Lake	25	178
	588 A	Meadow Lake	14	187
	588 B	Meadow Lake	68	282
	588 C	Meadow Lake	N/A	318
	588 D	Meadow Lake	50.5	405
	622	Beaver River	30	183

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: July 18, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 20, 2011

Cropland Topsoil Moisture Conditions

July 19, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 20, 2011

Hay and Pasture Topsoil Moisture Conditions

July 19, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 20, 2011